

# Eaton XTCE015B01A

Catalog Number: XTCE015B01A

Eaton XT IEC contactor, 15A, 110 Vac 50 Hz, 120 Vac 60 Hz, 1NC, 15A, Frame B, 45 mm, 50-60 Hz, 1, 2, 3/ 5, 5, 10, 10 hp (1/3PH @ 115, 200, 230/200, 230, 460, 575 V), Three-pole, Screw terminals, Full voltage non-reversing contactor

## General specifications



Photo is representative

**Product Name**  
Eaton XT IEC contactor

**Catalog Number**  
XTCE015B01A

**EAN**  
4015082900908

**Product Length/Depth**  
4 in

**Product Height**  
1.5 in

**Product Width**  
3.5 in

**Product Weight**  
0.5070632 lb

**Compliances**  
RoHS Compliant  
CE Marked

**Certifications**  
UL Listed  
CSA Certified  
IEC 60947  
EN 60947

**Catalog Notes**  
Screw terminals (6-65A); 5 mm (80-150A); no lugs (185-2000A)

## defaultTaxonomyAttributeLabel

### Amperage Rating

15A

### HP rating - max

1, 2, 3/ 5, 5, 10, 10 hp (1/3PH @ 115,200,230/200,230,460,575 V)

### Number Of Poles

Three-pole

### Type

Full voltage non-reversing contactor

### Frequency rating

50-60 Hz

### Frame size

45 mm

### Terminals

Screw terminals

### Coil voltage

110-120 Vac, 50/60 Hz

### Contact configuration

1 NC

### Continuous ampere rating

15 A

### Series

XT IEC

### Operation

Non-reversing

## Resources

### Catalogs

Eaton's Volume 5—Motor Control and Protection

### Drawings

XTCE\_B AutoCAD 2D Footprint

XTCE\_B 3D Inventor

XTCE\_B 2D PDF

XTCE\_B 3D Model Xchange

XTCE\_B 2D Drawing Xchange

### Specifications and datasheets

Global Data Sheet - XTCE015B01A

Eaton Specification Sheet - XTCE015B01A

### Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)