

Eaton DS361FX

Catalog Number: DS361FX

Eaton Heavy duty single-throw fused surge-protection safety switch , 30 A, NEMA 7/9, Cast aluminum, Class J, Three-pole, Three-wire, 600 Vac, 125/250 Vdc, Complete, Max Hp: 15, 20/ 5 hp (3PH @480,600 V/250 Vdc), #10-8 AWG Cu

General specifications



| | |
|---|----------------|
| Product Name | Catalog Number |
| Eaton custom single-throw fused safety switch | DS361FX |
| | UPC |
| | 782114858646 |

| | |
|----------------------|----------------|
| Product Length/Depth | Product Height |
| 18.5 in | 14 in |

| | |
|---------------|----------------|
| Product Width | Product Weight |
| 14 in | 53.65 lb |

| | |
|--|----------------|
| Warranty | Certifications |
| Eaton Selling Policy 25-000, one (1) year UL Listed from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. | |

defaultTaxonomyAttributeLabel

Type

Heavy duty hazardous location disconnect switch

Amperage Rating

30A

Number Of Poles

Three-pole

Product Category

Heavy Duty, Fusible

Voltage rating

600 Vac, 480 Vac, 250 Vdc

HP rating - max

15, 20/ 5 hp (3PH @480,600 V/250 Vdc)

Wire size

#10-8 AWG Cu

Enclosure

NEMA 7, NEMA 9

Enclosure material

Cast aluminum

Fuse class provision

Class J

Fuse configuration

Fusible without neutral

Number of wires

3

Design

Complete unit

NEMA rating

NEMA 7, NEMA 9

Voltage - max

600 V

Resources

Catalogs

[Eaton's Volume 2—Commercial Distribution](#)

Specifications and datasheets

[Eaton Specification Sheet - DS361FX](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)