Eaton DH1-34031DN-C21C

Catalog Number: DH1-34031DN-C21C

Eaton PowerXL DH1 VFD,31A,20 HP,15 kW,380 - 480 Vac,KEYPAD,No EMC Filter,DC Choke,No Brake Chopper,IP21

General specifications



Eaton PowerXL DH1 variable frequency DH1-34031DN-C21C

drive

UPC

786678007908

Catalog Number

Product Length/Depth

6.61 in

Product Height

14 in

Product Width

9.63 in

Product Weight

23.37 lb

Warranty

Eaton Selling Policy 25-000 generally applies with some exceptions. Drive products come with a standard 24 months from date of shipment and 36 months with Eaton certified start up all

inclusive coverage parts labor and travel.

Compliances
CE Marked

C-Tick Compliant

GoST-R

RoHS Compliant

Certifications

cUL Listed
UL Listed
EN 62061
IEC 61508
UL 508C
EN ISO 13849-1

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Extended I/O card

Yes

31A

User interface
Graphical Keypad

Low overload (VT) amps

Low overload (VT) kW

BACnet MSTP/IP Modification DC choke Amperage Rating 31A Horsepower 20 hp Voltage rating 480 V Keypad Included Display LCD graphical **Options** Without EMC filter Communication Modbus RTU/TCP Rating IP21 Power consumption 15 kW Series DH1 Electromagnetic compatibility filter None Internal DC choke Yes Conformal coated boards

Resources

Catalogs

Adjustable Frequency Drives

Specifications and datasheets

Eaton Specification Sheet - DH1-34031DN-C21C

15 kW

Low overload (VT) hp

20 HP

Input voltage range

380 - 480 Vac

Input frequency range

50 - 60 Hz

Output frequency range

0 - 400 Hz

Max overload

110% for 1 minute

Recommended fuse size

35A

Relay outputs

3

Communications onboard

BACnet/IP, Modbus TCP, Modbus RTU, BACnet MS/TP

Communication interface

PROFIBUS-DP

Motor control modes

Frequency Control, Speed Control, Open Loop Speed Control,

Open Loop Torque Control

Motor type

Induction



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia