Eaton 10250T979C53-3X

Catalog Number: 10250T979C53-3X

10250T, 30.5 mm, Heavy-Duty, 40 mm, NEMA 3, 3R, 4, 4X, 12, 13, Illuminated, Three-position, Maintained push, momentary pull, Standard, Red actuator, Plastic bus, EMERGENCY STOP, Incandescent, full voltage light unit, 2NC, 24 Vac/dc LUV

General specifications



Product Name

Eaton 10250T pushbutton

UPC

782114707289

Product Height

1 in

Product Weight

0.1 lb

Compliances

CE Marked

Catalog Notes

Assembled at Factory

Catalog Number

10250T979C53-3X

Product Length/Depth

1 in

Product Width

1 in

Warranty

1 year

Certifications

CSA Certified

UL Listed



defaultTaxonomyAttributeLabel

Type

30.5 mm, Heavy-Duty

Actuator color

Red

Bus material

Plastic

Actuator

Standard

Operating mode

Pull: momentary
Push: maintained

Contact configuration

2 NC

Illumination

Illuminated

Series

10250T

Legend

EMERGENCY STOP

Light unit type

Incandescent, full voltage

Light unit voltage

24 Vac/dc

Number of positions

3

Rating

NEMA 4X

NEMA 12

NEMA 13

NEMA 4

NEMA 3

NEMA 3R

Size

40 mm

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Multimedia

How to size and select a Power Supply

Specifications and datasheets

Eaton Specification Sheet - 10250T979C53-3X



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia