Eaton DH1-35018FB-C21C

Catalog Number: DH1-35018FB-C21C

Eaton PowerXL DH1 VFD,18A,15 HP,11 kW,525 - 600 Vac, KEYPAD, EMC Filter, DC Choke, Brake Chopper, IP21

General specifications



Product Name Catalog Number Eaton PowerXL DH1 variable frequency DH1-35018FB-C21C

drive

UPC

786689049508

Product Length/Depth **Product Height**

16.5 in 9.63 in

Product Width Product Weight

6.61 in 23.37 lb

Warranty Compliances

GoST-R Eaton Selling Policy 25-000 generally applies with some exceptions. Drive CE Marked products come with a standard 24 C-Tick Compliant months from date of shipment and 36 months with Eaton certified start up all

inclusive coverage parts labor and travel.

RoHS Compliant

Certifications

EN ISO 13849-1 IEC 61508 cUL Listed **UL 508C UL Listed** EN 62061



default Taxonomy Attribute Label

Amperage Rating

0 - 400 Hz

Max overload
110% for 1 minute

Recommended fuse size

18A Horsepower 15 hp Voltage rating 575 V Keypad Included Power consumption 11 kW Series DH1 Electromagnetic compatibility filter EMC Internal DC choke Yes Conformal coated boards Yes User interface Graphical Keypad Low overload (VT) amps 18A Low overload (VT) kW 11 kW Low overload (VT) hp 15 HP Input voltage range 525 - 600 Vac Input frequency range 50 - 60 Hz Output frequency range

Resources

Catalogs

Adjustable Frequency Drives

Specifications and datasheets

Eaton Specification Sheet - DH1-35018FB-C21C

Relay outputs

3

Communications onboard

BACnet/IP, Modbus TCP, Modbus RTU, BACnet MS/TP

Communication interface

PROFIBUS-DP

Motor control modes

Frequency Control, Speed Control, Open Loop Speed Control, Open Loop Torque Control

Motor type

Induction



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia