# Eaton DH1-357D5FB-C21C

Catalog Number: DH1-357D5FB-C21C

Eaton PowerXL DH1 VFD,7.5A,5 HP,3.7 kW,525 - 600 Vac, KEYPAD, EMC Filter, DC Choke, Brake Chopper, IP21

# General specifications



Eaton PowerXL DH1 variable frequency DH1-357D5FB-C21C

drive

**UPC** 

786689049218

**Product Height** 

Catalog Number

Product Length/Depth

17 in 12.5 in

**Product Width** 

**Product Weight** 

16.45 lb

Warranty

9.5 in

Eaton Selling Policy 25-000 generally applies with some exceptions. Drive products come with a standard 24

months from date of shipment and 36

months with Eaton certified start up all inclusive coverage parts labor and travel.

Compliances **CE Marked** 

C-Tick Compliant **RoHS Compliant** 

GoST-R

Certifications

**UL 508C** IEC 61508 EN ISO 13849-1 **UL Listed** 

EN 62061 cUL Listed





# default Taxonomy Attribute Label

Amperage Rating 7.50A Horsepower 5 hp Voltage rating 575 V Keypad Included Power consumption 3.70 kW Series DH1 Electromagnetic compatibility filter EMC Internal DC choke Yes Conformal coated boards Yes User interface Graphical Keypad Low overload (VT) amps 7.5A Low overload (VT) kW 3.7 kW Low overload (VT) hp 5 HP Input voltage range 525 - 600 Vac Input frequency range 50 - 60 Hz Output frequency range 0 - 400 Hz

Max overload
110% for 1 minute

Recommended fuse size

# Resources

Catalogs

Adjustable Frequency Drives

Specifications and datasheets

Eaton Specification Sheet - DH1-357D5FB-C21C

## Relay outputs

3

#### Communications onboard

BACnet/IP, Modbus TCP, Modbus RTU, BACnet MS/TP

### Communication interface

PROFIBUS-DP

## Motor control modes

Frequency Control, Speed Control, Open Loop Speed Control, Open Loop Torque Control

### Motor type

Induction



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia