# Eaton DH1-35010FB-C21C

Catalog Number: DH1-35010FB-C21C

Eaton PowerXL DH1 VFD,10A,7.5 HP,5.5 kW,525 - 600 Vac,KEYPAD,EMC Filter,DC Choke,Brake Chopper,IP21

# General specifications



Product Name Catalog Number

Eaton PowerXL DH1 variable frequency DH1-35010FB-C21C

drive

UPC

786689049461

Product Length/Depth Product Height

17 in 12.75 in

Product Width Product Weight

9.3 in 16.5 lb

Warranty

Eaton Selling Policy 25-000 generally applies with some exceptions. Drive products come with a standard 24 months from date of shipment and 36 months with Eaton certified start up all

Compliances

GoST-R

RoHS Compliant CE Marked

C-Tick Compliant

Certifications inclusive coverage parts labor and travel.

UL 508C EN 62061 IEC 61508 cUL Listed UL Listed

EN ISO 13849-1



# default Taxonomy Attribute Label

# Amperage Rating 10A Horsepower 7.50 hp Voltage rating 575 V Keypad Included Power consumption 5.50 kW Series DH1 Electromagnetic compatibility filter EMC Internal DC choke Yes Conformal coated boards Yes User interface Graphical Keypad Low overload (VT) amps 10A Low overload (VT) kW 5.5 kW Low overload (VT) hp 7.5 HP Input voltage range 525 - 600 Vac Input frequency range 50 - 60 Hz Output frequency range

0 - 400 Hz

Max overload
110% for 1 minute

Recommended fuse size

# Resources

#### Catalogs

Adjustable Frequency Drives

Specifications and datasheets

Eaton Specification Sheet - DH1-35010FB-C21C

### Relay outputs

3

#### Communications onboard

BACnet/IP, Modbus TCP, Modbus RTU, BACnet MS/TP

#### Communication interface

PROFIBUS-DP

### Motor control modes

Frequency Control, Speed Control, Open Loop Speed Control, Open Loop Torque Control

#### Motor type

Induction



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia