# Eaton LP-CC-1-1{}8

## Catalog Number: LP-CC-1-1/8

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 1.125 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V|20 kAIC at 300 Vdc, Melamine tube, 10



#### General specifications

**Product Name** Catalog Number LP-CC-1-1/8

Eaton Bussmann series LP-CC fuse

**UPC EAN** 

051712180443 5027590172967

Product Length/Depth **Product Height** 

0.41 in 1.5 in

**Product Width Product Weight** 

0.41 in 0.15 lb

Warranty Compliances

**CE Marked** Not Applicable **RoHS Compliant** 



### defaultTaxonomyAttributeLabel

Type

Current-limiting time-delay fuse

Special features

Non-indicating

**Application** 

Specialized circuits and industrial control

**Amperage Rating** 

1.125A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC at 600 Vac 20 kAIC at 300 Vdc

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 Vac, 300 Vdc

#### Resources

#### Catalogs

LP-CC-1-1/8~LP-CC-1-1-8~LOW PEAK CC TIME DELAY

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LP-CC-1-1/8



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia