

Eaton LP-CC-1-4}10

Catalog Number: LP-CC-1-4/10

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 1.4 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 20 kAIC at 300 Vdc|200 kAIC at 600 V, Melamine tube, 10



General specifications

Product Name	Catalog Number
Eaton Bussmann series LP-CC fuse	LP-CC-1-4/10
UPC	EAN
051712180467	5027590221528
Product Length/Depth	Product Height
0.41 in	1.5 in
Product Width	Product Weight
0.41 in	0.15 lb
Warranty	Compliances
Not Applicable	CE Marked
	RoHS Compliant

defaultTaxonomyAttributeLabel

Type

Current-limiting time-delay fuse

Special features

Non-indicating

Application

Specialized circuits and industrial control

Amperage Rating

1.40A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC at 600 Vac

20 kAIC at 300 Vdc

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 Vac, 300 Vdc

Resources

Catalogs

[LP-CC-1-4/10~LP-CC-1-4-10~LOW PEAK CC TIME DELAY](#)

[Bussmann series complete full line catalog no. 1007](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - LP-CC-1-4/10](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)