Eaton LP-CC-3-2/10

Catalog Number: LP-CC-3-2/10

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 3.2 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V|20 kAIC at 150 Vdc, Melamine tube, 10

LOW-PEAK LIMATE PROTECTION TIME-OELAY CLASS CO HUSE LP-CC-300 600Vac 300V4c

General specifications

Product Name Eaton Bussmann series LP-CC fuse UPC

051712180351

Product Length/Depth 0.41 in

Product Width

0.41 in

Warranty Not Applicable Catalog Number LP-CC-3-2/10 EAN 5027590101356

Product Height 1.5 in

Product Weight 0.15 lb

Compliances CE Marked RoHS Compliant



Product specifications

Fuse indicator

Non-indicating

Special features

Rejection style

Interrupt rating

200 kAIC at 600 Vac 20 kAIC at 150 Vdc

Number of elements

Dual

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Quantity

10

Material

Melamine tube

Amperage Rating

3.2 A

Type Current-limiting time-delay fuse

Class

Class CC

Voltage rating

600 Vac, 150 Vdc

Application

Specialized circuits and industrial control

Packaging type

Standard

Resources

Catalogs

Bussmann series complete full line catalog no. 1007 LP-CC-3-2/10~LP-CC-3-2-10~LOW PEAK CC TIME DELAY

Multimedia Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LP-CC-3-2/10



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia