Eaton LP-CC-8{}10

Catalog Number: LP-CC-8/10

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 0.8 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V|20 kAIC at 150 Vdc, Melamine tube, 10



General specifications

Product Name Eaton Bussmann series LP-CC fuse

UPC 051712180429

Product Height 0.41 in

Product Weight 0.15 lb

Compliances

CE Marked RoHS Compliant Catalog Number LP-CC-8/10

Product Length/Depth 1.5 in

Product Width 0.41 in

Warranty

Not Applicable



defaultTaxonomyAttributeLabel

Туре

Current-limiting time-delay fuse

Special features Non-indicating, High in-rush current motor protection

Application Specialized circuits and industrial control

Amperage Rating

0.8 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC at 600 Vac 20 kAIC at 150 Vdc

Fuse indicator

Non-indicating

Connection Ferrule end x ferrule end

Response time

12 sec at 200%

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating 600 Vac, 300 Vdc

Resources

Catalogs

LP-CC-8/10~LP-CC-8-10~LOW PEAK CC TIME DELAY Bussmann series complete full line catalog no. 1007

Multimedia Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LP-CC-8/10



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia